

AFC FLOATING FISH 32%

ITEM NUMBER 294160

GUARANTEED ANALYSIS:

CRUDE PROTEIN, not less than	32.0%
CRUDE FAT, not less than	2.5%
CRUDE FIBER ,not more than	6.0%

Ingredients:

Plant Protein Products, Animal Protein Products, Grain products, Processed Grain Byproducts, Dicalcium Phosphate, Salt, Vitamin A Supplement, Vitamin D Supplement, Vitamin E Supplement, Vitamin , Choline Chloride, Riboflavin Supplement, B-12 Supplement, Niacin, Pantothenic Acid, Menadione Sodium Bisulfate, Thiamine Mononitrate Acid, Ferrous Sulfate, Copper Sulfate, Zinc Oxide, Manganous Oxide, Calcium Iodate, Cobalt Carbonate, Iron Carbonate, Sodium Selenite, and Ethoxyquin (preservative)

Manufactured By

ALABAMA FARMERS COOPERATIVE, INC.

Decatur, Alabama 35601

Feeding Directions:

AFC 32% Floating Fish Feed is a 100% nutritionally complete formula which supplies all the protein, energy, fat, vitamins, and minerals required by catfish from 6 inches in length to market size. Floating formulation allows ready evaluation of fish health and feeding activity. This high energy level in this feed will allow for fast efficient gains. The product is very palatable minimizing feed waste and water quality problems. This product is also coated with highly digestible fish oil increasing palatability and digestibility even more. This is an extruded product that will increase nutrient availability to your fish.

This product should be fed at least once a day, either early morning or late afternoon. You should feed from the same time and same place each day. Feed approximately the amount they will clean up in 20 to 30 minutes, or at the rate of 3 to 5% of the body weight of the fish per day. Depending on the feeding activity of the fish, increase or decrease the amount of feed accordingly. Reduce the amount of feed when water temperature drops below 55 degrees. Do not overfeed. Over feeding will result in oxygen depletion in the water.

Important Management Practices:

Do not allow feed to become wet or moldy. When changing feeds, allow a 5 to 7 day transition period. Feeding in any manner other than directed can lead to nutritional disorders. Consult an Animal Nutritionist before feeding this product in a manner other than directed.