



with Formula 500™ TECHNOLOGY

**16% TEXTURED DEER BREEDER
ALABAMA – Fall/Winter Mix**

For all Life Stages of Whitetail Deer

GUARANTEED ANALYSIS

Crude Protein (Min).....	16.00%
Crude Fat (Min).....	6.25%
Crude Fiber (Max).....	7.50%
Calcium..... (Min) 1.35% (Max) 1.85%	
Phosphorus (Min).....	0.70%
Lysine (Min).....	0.90%
Salt..... (Min) 0.45% (Max) 0.95%	
Copper (Min).....	55 PPM
Zinc (Min).....	400 PPM
Vitamin A (Min).....	7,000 IU/LB
Vitamin E (Min).....	100 IU/LB

INGREDIENTS

Grain Products, Plant Protein Products, Processed Grain By Products, Roughage Products, Molasses Products, Soybean Oil, Monocalcium Phosphate, Dicalcium Phosphate, Salt, Calcium Carbonate, Dried Marine Algae, Yeast Culture, Vitamin A Supplement, Vitamin D3 Supplement, Vitamin E Supplement, Vitamin B-12 Supplement, Riboflavin Supplement, Niacin Supplement, D-Calcium Pantothenate, Choline Chloride, Folic Acid, Menadione Sodium Bisulfite Complex, Pyridoxine Hydrochloride, Thiamin Mononitrate, Biotin Supplement, Manganese Sulfate, Zinc Sulfate, Copper Sulfate, Copper Lysine Complex, Cobalt Carbonate, Cobalt Glucoheptonate, Manganese Amino Acid Complex, Ethylenediamine Dihydriodide, Zinc Amino Acid Complex, Zinc Oxide, Manganous Oxide, Sodium Selenite, Selenium Yeast, Soybean Oil, Natural & Artificial Flavors, Dried Bacillus Licheniformis Fermentation Product, Dried Bacillus Subtilis Fermentation Product, Dried Aspergillus Oryzae Fermentation Extract, Saccharomyces Cerevisiae Fermentation Product, Dried Bacillus Subtilis Fermentation Extract, Dried Trichoderma Longibrachiatum Fermentation Extract

FEEDING DIRECTIONS:

Feed 2 to 4 lbs per 100 lbs of body weight. Animals in confinement should not be fed this as their sole diet. Feed with plenty of good quality roughage and clean, fresh water. When changing feeds, slowly transition from one feed to another over a three week period, mixing feeds 50/50 for the first week 25/75 for the second week followed by 100% change on week three.

CAUTION:

Keep feed fresh, cool, dry and well ventilated to reduce molding. For best results, and to reduce molding in hot summer months, feed turnover should occur every 7-10 days.

WARNING

Contains Copper. Do not feed to sheep. May cause serious illness or even death.

Alabama Farmers Coop
800 Market Street NE
Decatur, AL 35601
22.6 Kg, 50 Pounds (Net)
01/26/2016