



AFC Stimu-Liq 35-0.5-60

Liquid Feed Supplement

(For Ruminants Only)

Protein, energy, vitamin and trace mineral supplement for all classes of beef cattle and non-lactating dairy cattle.

Guaranteed Analysis

Crude Protein	Min.		35.0 %
(This includes not more than 31.0% equivalent crude protein from non-protein nitrogen.)			
Crude Fat	Min.		0.1 %
Crude Fiber	Max.		0.1 %
Acid Detergent Fiber (ADF)	Max.		0.1 %
Calcium (Ca)	Min.	0.01 %	Max. 0.5 %
Phosphorus (P)	Min.		0.5 %
Cobalt (Co)	Min.		1.6 ppm
Copper (Cu)	Min.		75 ppm
Manganese (Mn)	Min.		80 ppm
Zinc (Zn)	Min.		120 ppm
Iodine (I)	Min.		3.0 ppm
Selenium (Se)	Min.		0.9 ppm
Vitamin A	Min.		30,000 IU/lb
Vitamin D ₃	Min.		7,500 IU/lb
Vitamin E	Min.		7 IU/lb
Dry Matter	Min.		60.0 %
Moisture	Max.		40.0 %

Ingredients

Cane Molasses, Condensed Fermented Corn Extractives, Condensed Soybean Solubles, Urea, Ammonium Lignin, Sulfuric Acid, Phosphoric Acid, Vitamin A Supplement, Vitamin D₃ Supplement, Vitamin E Supplement, Zinc Sulfate, Copper Sulfate, Manganese Sulfate, Sodium Selenite, Cobalt Sulfate, Ethylenediamine Dihydriodide.

CAUTION: USE ONLY AS DIRECTED.

WARNING

THIS SUPPLEMENT SHOULD BE USED ONLY IN ACCORDANCE WITH THE DIRECTIONS ON THIS TAG. THIS PRODUCT CONTAINS SUPPLEMENTAL SELENIUM (SE). INTAKE OF SUPPLEMENTAL SELENIUM SHOULD NOT EXCEED 0.3 PPM ON A DRY BASIS.

This product was manufactured in a facility that does not handle or store animal protein products prohibited in ruminant feed as described in 21 CFR section 589.2000 and 589.2001.

Manufactured for:

ALABAMA FARMERS COOPERATIVE
Decatur, Alabama 35609



NET WEIGHT: 50 LBS. (22.7 KG)

DIRECTIONS FOR USE

This supplement is intended for cattle only. Do not feed to sheep. This is a supplement, not a complete ration, and must be fed with adequate roughage and grain.

This supplement may be fed top-dressed, mixed into other components of the ration, or provided in a free-choice lick wheel feeder.

When fed for the first time, or after feeders have been empty, be sure cattle have other feeds available and feed the supplement so that intake is no more than 1.5 lb/hd/day for the first week.

This supplement includes minerals and vitamins, but a free-choice mineral/vitamin supplement is recommended to compensate for variations in ration composition and animal needs.

Daily intake should range from 1 to 3 lb/hd/day for a 1000 lb animal. If intake is outside this range, check the following:

- Tank Location - Intake is higher when tanks are located near water, mineral feeders, shelter, or other areas frequented by cattle.
- Calves - calves can and should consume the liquid. Their intake must be allowed for also.
- Supplemental feedstuffs - If cattle are over-consuming, the other feedstuffs may be short of phosphorus or energy. Be sure the mineral includes adequate phosphorus and that the total ration is adequate in energy.

CAUTION - DO NOT FEED TO SHEEP. THIS PRODUCT INCLUDES SUPPLEMENTAL COPPER.

SELLER MAKES NO WARRANTY, EXPRESSED OR IMPLIED, AS TO DESCRIPTION, UTILITY, PRODUCTIVENESS, OR ANY OTHER MATTER, EXCEPT AS TO GUARANTEED ANALYSIS.